Brain Research, 588 (1992) 358–360
© 1992 Elsevier Science Publishers B.V. All rights reserved 0006-8993/92/$05.00

Author Index

Alexander, G.M., Schwartzman, R.J., Brainard, L., Gordon, S.W. and Grothusen, J.R.
Changes in brain catecholamines and dopamine uptake sites at different stages of MPTP parkinsonism in monkeys (588) 261

Allan, A.M., Zhang, X. and Baier, L.D.
Barbiturate tolerance: effects on GABA-operated chloride channel function (588) 255

Anderson, A.C., see Asprodini, E.K. (588) 329

Anderson, J.J., Chase, T.N. and Engber, T.M.
Differential effect of subthalamic nucleus ablation on dopamine D_1 and D_2 agonist-induced rotation in 6-hydroxydopamine-lesioned rats (588) 307

Andres, M.A., see Lafarga, M. (588) 311

Arora, P.K., see Hilakivi-Clarke, L.A. (588) 97

Asprodini, E.K., Rainnie, D.G., Anderson, A.C. and Shinnick-Gallagher, P.
In vivo kindling does not alter afterhyperpolarizations (AHPs) following action potential firing in vitro in basolateral amygdala neurons (588) 329

Baier, L.D., see Allan, A.M. (588) 255

Bandou, Y., see Takenaka, T. (588) 212

Barajon, I., Gossard, J.-P. and Hultborn, H.
Induction of *fos* expression by activity in the spinal rhythm generator for scratching (588) 168

Barker, J.L., see Suszkiw, J.B. (588) 246

Beckman, A.L., Llados-Eckman, C. and Stanton, T.L.
Reduction of hibernation bout duration by intraventricular infusion of met-enkephalin (588) 159

Berciano, M.T., see Lafarga, M. (588) 311

Berkenbosch, F., see Van Dam, A.-M. (588) 291

Bicknell, R.J., see Hatton, G.I. (588) 75

Blaker, W.D., see Klein, B.G. (588) 335

Bloom, F.E., see Giovannelli, L. (588) 41

Boyd, S.K. and Moore, F.L.
Sexually dimorphic concentrations of arginine vasotocin in sensory regions of the amphibian brain (588) 304

Brainard, L., see Alexander, G.M. (588) 261

Brouns, M., see Van Dam, A.-M. (588) 291

Brucato, F.H., Morrisett, R.A., Wilson, W.A. and Swartzwelder, H.S.
The $GABA_B$ receptor antagonist, CGP-35348, inhibits paired-pulse disinhibition in the rat dentate gyrus in vivo (588) 150

Bunting, R., see Hatton, G.I. (588) 75

Caprio, J., see Lamb, C.F. (588) 201

Carlen, P.L., see Cullen, N. (588) 49

Carlsson, A., see Piercey, M.F. (588) 217

Chapman, M.A., see See, R.E. (588) 177

Chase, T.N., see Anderson, J.J. (588) 307

Cherkaoui, J., see Dellu, F. (588) 132

Clarke, R., see Hilakivi-Clarke, L.A. (588) 97

Court, J.A., see Piggott, M.A. (588) 277

Cullen, N. and Carlen, P.L.
Electrophysiological actions of acetate, a metabolite of ethanol, on hippocampal dentate granule neurons: interactions with adenosine (588) 49

Cunningham, S.T. and Kelley, A.E.
Opiate infusion into nucleus accumbens: contrasting effects on motor activity and responding for conditioned reward (588) 104

Dellu, F., Mayo, W., Cherkaoui, J., Le Moal, M. and Simon, H.
A two-trial memory task with automated recording: study in young and aged rats (588) 132

Del Olmo, E., see Lafarga, M. (588) 311

Dement, W.C., see Valtier, D. (588) 115

Dickson, R.B., see Hilakivi-Clarke, L.A. (588) 97

Dreifuss, J.J., see Tribollet, E. (588) 346

Dubois-Dauphin, M., see Tribollet, E. (588) 346

Eigyo, M., see Shinohara, S. (588) 223

Engber, T.M., see Anderson, J.J. (588) 307

Erfurth, A., see Gardier, A.M. (588) 67

Fernandez, G.D., see Takami, S. (588) 317

Ferrer, I.
The effect of cycloheximide on natural and X-ray-induced cell death in the developing cerebral cortex (588) 351

Fibiger, H.C., see Guo, N. (588) 164

Gallagher, C.A., see Glick, S.D. (588) 173

Gardier, A.M., Kaakkola, S., Erfurth, A. and Wurtman, R.J.
Effects of methiothepin on changes in brain serotonin release induced by repeated administration of high doses of anorectic serotoninergic drugs (588) 67

Giovannelli, L., Shiromani, P.J., Jirikowski, G.F. and Bloom, F.E.
Expression of c-*fos* protein by immunohistochemically identified oxytocin neurons in the rat hypothalamus upon osmotic stimulation (588) 41

Glick, S.D., Gallagher, C.A., Hough, L.B., Rossman, K.L. and Maisonneuve, I.M.
Differential effects of ibogaine pretreatment on brain levels of morphine and (+)-amphetamine (588) 173

Goadsby, P.J.
The oligemic phase of cortical spreading depression is not blocked by tirilazad mesylate (U-74006F) (588) 140

Goldstone, A.D., see Koenig, H. (588) 297

Gordon, S.W., see Alexander, G.M. (588) 261

Gossard, J.-P., see Barajon, I. (588) 168

Gotoh, H., see Takenaka, T. (588) 212

Gould, E., see Watanabe, Y. (588) 341

Gramsbergen, J.B.P., Schmidt, W., Turski, W.A. and Schwarcz, R.
Age-related changes in kynurenic acid production in rat brain (588) 1

Graziadei, P.P.C., see Takami, S. (588) 317

Graziadei, P.P.C., see Zigova, T. (588) 6

Greenland, K.J., see Thomas, W.G. (588) 191

Grothusen, J.R., see Alexander, G.M. (588) 261

Gunion, M.W., Rosenthal, M.J., Miller, S., Hoyt, M.A. and Yonzon, D.B.
Role of hypothalamic paraventricular nucleus α- and β-adrenergic receptors in regulation of blood glucose, free fatty acids and corticosterone (588) 84

Guo, N., Robertson, G.S. and Fibiger, H.C.
Scopolamine attenuates haloperidol-induced c-*fos* expression in the striatum (588) 164

Hatton, G.I., Bicknell, R.J., Hoyland, J., Bunting, R. and Mason, W.T.
Arginine vasopressin mobilises intracellular calcium via V_1-receptor activation in astrocytes (pituicytes) cultured from adult rat neural lobes (588) 75

Hayes, R.L., see Mao, J. (588) 144

Hikawa, N., see Takenaka, T. (588) 212

Hilakivi-Clarke, L.A., Arora, P.K., Sabol, M.-B., Clarke, R., Dickson, R.B. and Lippman, M.E.
Alterations in behavior, steroid hormones and natural killer cell activity in male transgenic TGFα mice (588) 97

Hoffmann, W.E., see Piercey, M.F. (588) 217

Hough, L.B. and Nalwalk, J.W.
Modulation of morphine antinociception by antagonism of H_2 receptors in the periaqueductal gray (588) 58

Hough, L.B., see Glick, S.D. (588) 173

Hoyland, J., see Hatton, G.I. (588) 75

Hoyt, M.A., see Gunion, M.W. (588) 84

Hultborn, H., see Barajon, I. (588) 168

Ibii, N., see Kihara, T. (588) 270

Ibii, N., see Shinohara, S. (588) 223

Ikeda, M., see Kihara, T. (588) 270

Ikeda, T., see Sugawara, N. (588) 287

Inenaga, K., see Tribollet, E. (588) 346

Jirikowski, G.F., see Giovannelli, L. (588) 41

Kaakkola, S., see Gardier, A.M. (588) 67

Kapcala, L.P. and Weng, C.-F.
In vitro regulation of immunoreactive β-

endorphin secretion from adult and fetal hypothalamus by sequential stimulation with corticotropin-releasing hormone (588) 13
Kato, J., see Sugawara, N. (588) 287
Katsuura, G., see Shinohara, S. (588) 223
Kawakami, T., see Takenaka, T. (588) 212
Kelley, A.E., see Cunningham, S.T. (588) 104
Kihara, T., Ikeda, M., Ibii, N. and Matsushita, A.
Ceruletide, a CCK-like peptide, attenuates dopamine release from the rat striatum via a central site of action (588) 270
Klein, B.G., Blaker, W.D., White, C.F. and Misra, B.R.
Time course of serotonergic afferent plasticity within rat spinal trigeminal nucleus following infraorbital nerve transection (588) 335
Klitenick, M.A., see See, R.E. (588) 177
Koenig, H., Trout, J.J., Goldstone, A.D. and Lu, C.Y.
Capillary NMDA receptors regulate blood–brain barrier function and breakdown (588) 297
Kohgo, Y., see Sugawara, N. (588) 287
Kow, L.-M., Weesner, G.D. and Pfaff, D.W.
α_1-Adrenergic agonists act on the ventromedial hypothalamus to cause neuronal excitation and lordosis facilitation: electrophysiological and behavioral evidence (588) 237

Lafarga, M., Berciano, M.T., Del Olmo, E., Andres, M.A. and Pazos, A.
Osmotic stimulation induces changes in the expression of β-adrenergic receptors and nuclear volume of astrocytes in supraoptic nucleus of the rat (588) 311
Lamb, C.F. and Caprio, J.
Convergence of oral and extraoral information in the superior secondary gustatory nucleus of the channel catfish (588) 201
Le Moal, M., see Dellu, F. (588) 132
Li, Z., see Tribollet, E. (588) 346
Lippman, M.E., see Hilakivi-Clarke, L.A. (588) 97
Ljung, E., see Piercey, M.F. (588) 217
Llados-Eckman, C., see Beckman, A.L. (588) 159
Louisse, S., see Van Dam, A.-M. (588) 291
Lu, C.Y., see Koenig, H. (588) 297
Lum, J.T., see Piercey, M.F. (588) 217

Maisonneuve, I.M., see Glick, S.D. (588) 173
Mao, J., Price, D.D., Mayer, D.J. and Hayes, R.L.
Pain-related increases in spinal cord membrane-bound protein kinase C following peripheral nerve injury (588) 144
Marani, E., see Walsh, I.B. (588) 120
Mason, W.T., see Hatton, G.I. (588) 75
Matsushita, A., see Kihara, T. (588) 270
Matsushita, A., see Shinohara, S. (588) 223
Mayer, D.J., see Mao, J. (588) 144
Mayo, W., see Dellu, F. (588) 132
McEwen, B.S., see Watanabe, Y. (588) 341
Mignot, E., see Valtier, D. (588) 115
Miller, S., see Gunion, M.W. (588) 84
Misra, B.R., see Klein, B.G. (588) 335
Monti Graziadei, A.G., see Zigova, T. (588) 6
Moore, F.L., see Boyd, S.K. (588) 304
Morrisett, R.A., see Brucato, F.H. (588) 150

Nalwalk, J.W., see Hough, L.B. (588) 58

Pazos, A., see Lafarga, M. (588) 311
Perry, E.K., see Piggott, M.A. (588) 277
Perry, R.H., see Piggott, M.A. (588) 277
Pfaff, D.W., see Kow, L.-M. (588) 237
Piercey, M.F., Lum, J.T., Hoffmann, W.E., Carlsson, A., Ljung, E. and Svensson, K.
Antagonism of cocaine's pharmacological effects by the stimulant dopaminergic antagonists, (+)-AJ76 and (+)-UH232 (588) 217
Piggott, M.A., Perry, E.K., Perry, R.H. and Court, J.A.
[^{3}H]MK-801 binding to the NMDA receptor complex, and its modulation in human frontal cortex during development and aging (588) 277
Price, D.D., see Mao, J. (588) 144

Raggenbass, M., see Tribollet, E. (588) 346
Rainnie, D.G., see Asprodini, E.K. (588) 329
Rietveld, W.J., see Walsh, I.B. (588) 120
Robertson, G.S., see Guo, N. (588) 164
Rosenthal, M.J., see Gunion, M.W. (588) 84
Rossman, K.L., see Glick, S.D. (588) 173
Ruwe, W.D.
Electrical stimulation of the paraventricular nucleus attenuates pyrogen fever in the rabbit (588) 181

Sabol, M.-B., see Hilakivi-Clarke, L.A. (588) 97
Sapolsky, R.M., see Tombaugh, G.C. (588) 154
Schaffner, A.E., see Suszkiw, J.B. (588) 246
Schmid, H.A. and Simon, E.
Effect of angiotensin II and atrial natriuretic factor on neurons in the subfornical organ of ducks and rats in vitro (588) 324
Schmidt, W., see Gramsbergen, J.B.P. (588) 1
Schwarcz, R., see Gramsbergen, J.B.P. (588) 1
Schwartzman, R.J., see Alexander, G.M. (588) 261
See, R.E., Chapman, M.A. and Klitenick, M.A.
Chronic neuroleptic administration decreases extracellular GABA in the nucleus accumbens but not in the caudate-putamen of rats (588) 177
Semenova, T.P. and Ticku, M.K.
Effects of 5-HT receptor antagonists on seizure susceptibility and locomotor activity in DBA/2 mice (588) 229
Sernia, C., see Thomas, W.G. (588) 191
Shinkel, T.A., see Thomas, W.G. (588) 191
Shinnick-Gallagher, P., see Asprodini, E.K. (588) 329
Shinohara, S., Katsuura, G., Eigyo, M., Shintaku, H., Ibii, N. and Matsushita, A.
Inhibitory effect of CCK-8 and ceruletide on glutamate-induced rises in intracellular free calcium concentrations in rat neuron cultures (588) 223
Shintaku, H., see Shinohara, S. (588) 223
Shiromani, P.J., see Giovannelli, L. (588) 41
Simon, E., see Schmid, H.A. (588) 324
Simon, H., see Dellu, F. (588) 132
Stanton, T.L., see Beckman, A.L. (588) 159
Steers, W.D., see Tuttle, J.B. (588) 29
Sugawara, C., see Sugawara, N. (588) 287
Sugawara, N., Ikeda, T., Sugawara, C., Kohgo, Y., Kato, J. and Takeichi, N.
Regional distribution of copper, zinc and iron in the brain in Long–Evans Cinnamon (LEC) rats with a new mutation causing hereditary hepatitis (588) 287
Suszkiw, J.B., Schaffner, A.E. and Barker, J.L.
Electrophysiological properties of early postnatal rat septal neurons in short-term culture (588) 246
Svensson, K., see Piercey, M.F. (588) 217
Swartzwelder, H.S., see Brucato, F.H. (588) 150

Takami, S., Fernandez, G.D. and Graziadei, P.P.C.
The morphology of GABA-immunoreactive neurons in the accessory olfactory bulb of rats (588) 317
Takeichi, N., see Sugawara, N. (588) 287
Takenaka, T., Kawakami, T., Hikawa, N., Bandou, Y. and Gotoh, H.
Effect of neurotransmitters on axoplasmic transport: acetylcholine effect on superior cervical ganglion cells (588) 212
Thanos, S.
Sick photoreceptors attract activated microglia from the ganglion cell layer: a model to study the inflammatory cascades in rats with inherited retinal dystrophy (588) 21
Thomas, W.G., Greenland, K.J., Shinkel, T.A. and Sernia, C.
Angiotensinogen is secreted by pure rat neuronal cell cultures (588) 191
Ticku, M.K., see Semenova, T.P. (588) 229
Tombaugh, G.C. and Sapolsky, R.M.
Corticosterone accelerates hypoxia- and cyanide-induced ATP loss in cultured hippocampal astrocytes (588) 154
Tribollet, E., Li, Z., Inenaga, K., Yamashita, H., Raggenbass, M., Dubois-Dauphin, M. and Dreifuss, J.J.
Functional neuronal binding sites for oxytocin in the ventromedial hypothalamus of the guinea pig after gonadectomy (588) 346
Trout, J.J., see Koenig, H. (588) 297
Turski, W.A., see Gramsbergen, J.B.P. (588) 1
Tuttle, J.B. and Steers, W.D.
Nerve growth factor responsiveness of

cultured major pelvic ganglion neurons from the adult rat (588) 29

Valtier, D., Dement, W.C. and Mignot, E.
Monoaminergic uptake in synaptosomes prepared from frozen brain tissue samples of normal and narcoleptic canines (588) 115

Van Dam, A.-M., Brouns, M., Louisse, S. and Berkenbosch, F.
Appearance of interleukin-1 in macrophages and in ramified microglia in the brain of endotoxin-treated rats: a pathway for the induction of non-specific symptoms of sickness? (588) 291

Van den Berg, R.J., see Walsh, I.B. (588) 120

Walsh, I.B., Van den Berg, R.J., Marani, E. and Rietveld, W.J.
Spontaneous and stimulated firing in cultured rat suprachiasmatic neurons (588) 120

Watanabe, Y., Gould, E. and McEwen, B.S.
Stress induces atrophy of apical dendrites of hippocampal CA3 pyramidal neurons (588) 341

Weesner, G.D., see Kow, L.-M. (588) 237

Weng, C.-F., see Kapcala, L.P. (588) 13

White, C.F., see Klein, B.G. (588) 335

Wilson, W.A., see Brucato, F.H. (588) 150

Wurtman, R.J., see Gardier, A.M. (588) 67

Yamashita, H., see Tribollet, E. (588) 346

Yonzon, D.B., see Gunion, M.W. (588) 84

Zhang, X., see Allan, A.M. (588) 255

Zigova, T., Graziadei, P.P.C. and Monti Graziadei, A.G.
Olfactory bulb transplantation into the olfactory bulb of neonatal rats: a WGA–HRP study (588) 6